Heredity **69** (1992) 583–585
©The Genetical Society of Great Britain

Author Index

Abbott, R. J. *see* Irwin, J. A.
Allen Orr, H. *see* Braverman, J. M.

Barrett, S. C. H. *see* Husband, B. C.
Baruffi, L. *see* Malacrida, A. R.
Baur, A. *see* Baur, B.
Baur, B. & Baur, A. Reduced reproductive compatibility in *Arianta arbustorum* (Gastropoda) from distant populations **65**
Bazin, C. & Silber, J. Vestigial suppressor genes and resistance to aminopterin in *Drosophila melanogaster* **473**
Benito, C., Romera, F., Díez, N. & Figueiras, A. M. Genic heterozygosity and fitness in rye populations with B chromosome **406**
Beniwal, B. K., Hastings, I. M., Thompson, R. & Hill, W. G. Estimation of changes in genetic parameters in selected lines of mice using REML with an animal model. 1. Lean mass **352**
Beniwal, B. K., Hastings, I. M., Thompson, R. & Hill, W. G. Estimation of changes in genetic parameters in selected lines of mice using REML with an animal model. 2. Body weight, body composition and litter size **361**
Bermingham, E. *see* Zeh, D. W.
Bidau, C. J. *see* Mirol, P. M.
Bilton, D. T. Genetic population structure of the Postglacial relict diving beetle *Hydroporus glabriusculus* Aubé (Coleoptera: Dytiscidae) **503**
Braverman, J. M., Goñi, B. & Allen Orr, H. Loss of a paternal chromosome causes developmental anomalies among *Drosophila* hybrids **416**
Brookfield, J. The effect of population subdivision on estimates of the likelihood ratio in criminal cases using single-locus DNA probes **97**

Cabrero, J. *see* López-León, M. D.
Callow, R. S. *see* Ferris, C.
Camacho, J. P. M. *see* López-León, M. D.
Carracedo, M. C. *see* Casares, P.
Carter, R. E. *see* Wetton, J. W.
Carton, Y., Frey, F. & Nappi, A. Genetic determination of the cellular immune reaction in *Drosophila melanogaster* **393**
Casares, P., Carracedo, M. C., Piñeiro, R., San Miguel, E. & Garcia-Florez, L. Genetic basis for female receptivity in *Drosophila melanogaster*: a diallel study **400**
Chalmers, K. J., Waugh, R., Sprent, J. I., Simons, A. J. & Powell, W. Detection of genetic variation between and within populations of *Gliricidia sepium* and *G. maculata* using RAPD markers **465**
Chapco, W., Kelln, R. & McFadyen, D. A. Intraspecific mitochrondrial DNA variation in the migratory grasshopper, *Melanoplus sanguinipes* **547**
Coates, D. J. Genetic consequences of a bottleneck and spatial genetic structure in the triggerplant *Stylidium coroniforme* (Stylidiaceae) **512**
Coates, D. J. & Sokolowski, R. E. S. The mating system and patterns of genetic variation in *Banksia cuneata* A. S. George (Proteaceae) **11**
Coffroth, M. A. *see* Zeh, D. W.
Colgan, D. J. Interspecific isozymic substitution is not random **150**
Colombo, P. C. A new index for estimating genetic recombination from chiasma distribution data **412**
Conner, J. & Via, S. Natural selection on body size in *Tribolium*: possible genetic constraints on adaptive evolution **73**
Cook, L. M. The neutral assumption and maintenance of colour morph frequency in mangrove snails **184**
Costa III, J. T. *see* Shoemaker, D. D.
Cullis, C. A. *see* Govindaraju, D. R.
Cumbes, Q. J. *see* Macnair, M. A.

Damgaard, C. & Loeschcke, V. Partial selfing as an optimal mating strategy **289**
Day, T. H. *see* Gilburn, A. S.
Di Castro, M. *see* Volpi, E. V.
Díez, N. *see* Benito, C.

El Agoze, M., Lemeunier, F. & Periquet, G. Mitotic and salivary gland chromosome analyses in the *Musca domestica* L. (house fly) (Diptera: Muscidae) **57**
Equiarte, L. E., Perez-Nasser, N. & Piñero, D. Genetic structure, outcrossing rate and heterosis in *Astrocaryum mexicanum* (tropical palm): implications for evolution and conservation **217**

Ferguson, M. M. *see* Hutchings, J. A.
Ferris, C., Callow, R. S. & Gray, A. J. Mixed first and second division restitution in male meiosis of *Hierochlöe odorata* (L.) Beauv (Holy Grass) **21**
Figueiras, A. M. *see* Benito, C.
Foster, S. P. *see* Gilburn, A. S.
Fowler, K. *see* Santos, M.
Frey, F. *see* Carton, Y.

Garcia-Florez, L. *see* Casares, P.
Garrido-Ramos, M. A., Jamilena, M., Lozano, R. Ruiz Rejón, C., &

Ruiz Rejón, M. A cytogenetical and molecular analysis of the ribosomal cistrons of *Allium sphaerocephalon* L. (Liliaceae) **43**

Gasperi, G. *see* Malacrida, A. R.

Gatehouse, A. G. *see* Hill, J. K.

Gatehouse, A. G. *see* Wilson, K.

Gilburn, A. S., Foster, S. P. & Day, T. H. Female mating preference for large size in *Coelopa frigida* (seaweed fly) **209**

Goñi, B. *see* Braverman, J. M.

Govindaraju, D. R. & Cullis, C. A. Ribosomal DNA variation among populations of a *Pinus rigida* Mill. (pitch pine) ecosystem: I. Distribution of copy numbers **133**

Gray, A. J. *see* Ferris, C.

Guglielmino, C. R. *see* Malacrida, A. R.

Gupta, J. P. *see* Kumar, A.

Haley, C. S. & Knott, S. A. A simple regression method for mapping quantitative trait loci in line crosses using flanking markers **315**

Harris, S. A. & Ingram, R. Molecular systematics of the genus *Senecio* L. I: Hybridization in a British polyploid complex **1**

Harris, S. A. & Ingram, R. Molecular systematics of the genus *Senecio* L. II: The origin of *S. vulgaris* L. **112**

Hartwick, B. *see* Stanhope, M. J.

Hastings, I. M. *see* Beniwal, B. K.

Hewitt, G. M. *see* Virdee, S. R.

Hill, J. K. & Gatehouse, A. G. Genetic control of the pre-reproductive period in *Autographa gamma* (L.) (silver Y moth) (Lepidoptera: Noctuidae) **458**

Hill, W. G. *see* Beniwal, B. K.

Houde, A. E. Sex-linked heritability of a sexually selected character in a natural population of *Poecilia reticulata* (Pisces:Poeciliidae)(guppies) **229**

Hurst, G. D. D., Majerus, M. E. N. & Walker, L. E. Cytoplasmic male killing elements in *Adalia bipunctata* (Linnaeus) (Coleoptera: Coccinellidae) **84**

Husband, B. C. & Barrett, S. C. H. Genetic drift and the maintenance of the style length polymorphism in tristylous populations of *Eichhornia paniculata* (Pontederiaceae) **440**

Hutchings, J. A. & Ferguson, M. M. The independence of enzyme heterozygosity and life-history traits in natural populations of *Salvelinus fontinalis* (brook trout) **496**

Ingram, R. *see* Harris, S. A.

Irwin, J. A. & Abbott, R. J. Morphometric and isozyme evidence for the hybrid origin of a new tetraploid radiate groundsel in York, England **431**

Jamilena, M. *see* Garrido-Ramos, M. A.

Jansen, R. C. On the selection for specific genes in doubled haploids **92**

Juchault, P., Rigaud, T. & Mocquard, J.-P. Evolution of sex-determining mechanisms in a wild population of *Armadillidium vulgare* Latr. (Crustacea, Isopoda): competition between two feminizing parasitic sex factors **382**

Kärkkäinen, K. *see* Savolainen, O.

Kasule, F. K. A quantitative genetic analysis of reproductive allocation in the cotton stainer bug *Dysdercus fasciatus* **141**

Kearsey, M. J. *see* Luo, Z. W.

Kelln, R. *see* Chapco, W.

Khush, G. S. *see* Pooni, H. S.

King, I. P., Purdie, K. A., Miller, T. E., Law, C. N. & Rogers, W. J. Exploitation of chromosome $4S^1$, from *Aegilops sharonensis*, for the production of stable 44-chromosome wheat lines **160**

Knott, S. A. *see* Haley, C. S.

Kuittinen, H. *see* Savolainen, O.

Kumar, A. & Gupta, J. P. Concentration of chromosomal aberrations on chromosome 3 of *Drosophila nasuta* **263**

Kumar, I. *see* Pooni, H. S.

Lamy, F. *see* Robert, T.

Lanza, V. *see* Volpi, E. V.

Law, C. N. *see* King, I. P.

Leighton, B. J. *see* Stanhope, M. J.

Lemeunier, F. *see* El Agoze, M.

Loeschcke, V. *see* Damgaard, C.

López-León, M. D., Pardo, M. C., Cabrero, J. & Camacho, J. P. M. Random mating and absence of sexual selection for B chromosomes in two natural populations of the grasshopper *Eyprepocnemis plorans* **558**

Lozano, R. *see* Garrido-Ramos, M. A.

Lozano, R., Ruiz Rejón, C. & Ruiz Rejón, M. A comparative analysis of NORs in diploid and triploid salmonids: implications with respect to the diploidization process occurring in this fish group **450**

Luo, Z. W. & Kearsey, M. J. Interval mapping of quantitative trait loci in an F_2 population **236**

McFadyen, D. A. *see* Chapco, W.

Macnair, M. A., Cumbes, Q. J. & Meharg, A. A. The genetics of arsenate tolerance in Yorkshire fog, *Holcus lanatus* L. **325**

Macnair, M. R. *see* Meharg, A. A.

Madsen, H. E. S. *see* Philipp, M.

Majerus, M. E. N. *see* Hurst, G. D. D.

Majerus, M. E. N. *see* O'Donald, P.

Malacrida, A. R., Guglielmino, C. R., Gasperi, G., Baruffi, L. & Milani, R. Spatial and temporal differentiation in colonizing populations of *Ceratitis capitata* **101**

Markow, T. A. & Ricker, J. P. Male size, developmental stability, and mating success in natural populations of three *Drosophila* species **122**

Medina, R. C. Some exact conditional tests for the multiplicative model to explain genotype–environment interaction **128**

Meharg, A. A. *see* Macnair, M. A.

Meharg, A. A. & Macnair, M. R. Genetic correlation between arsenate tolerance and the rate of influx of arsenate and phosphate in *Holcus lanatus* L. **336**

Milani, R. *see* Malacrida, A. R.

Miller, T. E. *see* King, I. P.
Mirol, P. M. & Bidau, C. J. Proximal chiasmata induce non-disjunctional orientation of Robertsonian trivalents in a grasshopper **268**
Mocquard, J-P. *see* Juchault, P.
Moreira-Filho, O. *see* Salvador, L. B.
Mulcahy, D. L. *see* Sari-Gorla, M.

Nappi, A. *see* Carton, Y.
Nishida, T. *see* Osawa, N.

O'Donald, P. & Majerus, M. E. N. Non-random mating in *Adalia bipunctata* (the two-spot ladybird) III. New evidence of genetic preference **521**
Osawa, N. & Nishida, T. Seasonal variation in elytral colour polymorphism in *Harmonia axyridis* (the ladybird beetle): the role of non-random mating **297**
Ottaviano, E. *see* Sari-Gorla, M.

Pardo, M. C. *see* López-León, M. D.
Parkin, D. T. *see* Wetton, J. W.
Partridge, L. *see* Santos, M.
Paumard-Rigal, S. & Rosenberg-Bourgin, M. Increase in the resistance to the *Bacillus thuringiensis* supernatant effect in a *Drosophila melanogaster* wild type Oregon R line **539**
Pé, M. E. *see* Sari-Gorla, M.
Pelliccia, F. *see* Volpi, E. V.
Perez-Nasser, N. *see* Equiarte, L. E.
Periquet, G. *see* El Agoze, M.
Philipp, M., Madsen, H. E. S. & Siegismund, H. R. Gene flow and population structure in *Armeria maritima* **32**
Piñeiro, R. *see* Casares, P.
Piñero, D. *see* Equiarte, L. E.
Pooni, H. S., Kumar, I. & Khush, G. S. A comprehensive model for disomically inherited metrical traits expressed in triploid tissues **166**
Powell, W. *see* Chalmers, K. J.
Purdie, K. A. *see* King, I. P.

Ranker, T. A. Genetic diversity, mating systems, and interpopulation gene flow in neotropical *Hemionitis palmata* L. (Adiantaceae) **175**
Ricker, J. P. *see* Markow, T. A.
Rigaud, T. *see* Juchault, P.
Robert, T., Lamy, F. & Sarr, A. Evolutionary role of gametophytic selection in the domestication of *Pennisetum typhoides* (pearl millet): a two-locus asymmetrical model **372**
Rocchi, A. *see* Volpi, E. V.
Rogers, W. J. *see* King, I. P.
Romera, F. *see* Benito, C.
Rosenberg-Bourgin, M. *see* Paumard-Rigal, S.
Ross, K. G. *see* Shoemaker, D. D.
Ruiz Rejón, C. *see* Garrido-Ramos, M. A.
Ruiz Rejón, M. *see* Garrido-Ramos, M. A.
Ruiz Rejón, M. *see* Lozano, R.

Salvador, L. B. & Moreira-Filho, O. B chromosomes in *Astyanax scabripinnis* (Pisces, Characidae) **50**
San Miguel, E. *see* Casares, P.
Santos, M., Fowler, K. & Partridge, L. On the use of tester stocks to predict the competitive ability of genotypes **489**
Sari-Gorla, M., Pé, M. E., Mulcahy, D. L. & Ottaviano, E. Genetic dissection of pollen competitive ability in maize **423**
Sarr, A. *see* Robert, T.
Savolainen, O., Kärkkäinen, K. & Kuittinen, H. Estimating numbers of embryonic lethals in conifers **308**
Shoemaker, D. D., Costa III, J. T. & Ross, K. G. Estimates of heterozygosity in two social insects using a large number of electrophoretic markers **573**
Siegismund, H. R. *see* Philipp, M.
Silber, J. *see* Bazin, C.
Simons, A. J. *see* Chalmers, K. J.
Skibinski, D. O. F. *see* Woodwark, M.
Sokolowski, R. E. S. *see* Coates, D. J.
Sprent, J. I. *see* Chalmers, K. J.
Stam, P. *see* Van Oeveren, A. J.
Stanhope, M. J., Leighton, B. J. & Hartwick, B. Polygenic control of habitat preference and its possible role in sympatric population subdivision of an estuarine crustacean **279**

Thompson, R. *see* Beniwal, B. K.

Van Oeveren, A. J. & Stam, P. Comparative simulation studies on the effects of selection for quantitative traits in autogamous crops: early selection versus single seed descent **342**
Via, S. *see* Conner, J.
Virdee, S. R. & Hewitt, G. M. Postzygotic isolation and Haldane's rule in a grasshopper **525**
Volpi, E. V., Pelliccia, F., Lanza, V., Di Castro, M. & Rocchi, A. Morphological differentiation of a sex chromosome and ribosomal genes in *Asellus aquaticus* (Crust. Isop.) **478**

Walker, L. E. *see* Hurst, G. D. D.
Ward, R. D. *see* Woodwark, M.
Waugh, R. *see* Chalmers, K. J.
Wetton, J. W., Parkin, D. T. & Carter, R. E. The genetic use of markers for parentage analysis in *Passer domesticus* (House Sparrows) **243**
Willis, J. H. Genetic analysis of inbreeding depression caused by chlorophyll-deficient lethals in *Mumulus guttatus* **562**
Wilson, K. & Gatehouse, A. G. Migration and genetics of pre-reproductive period in the moth, *Spodoptera exempta* (African armyworm) **255**
Woodwark, M., Skibinski, D. O. F. & Ward, R. D. A study of interlocus allozyme heterozygosity correlations: implications for neutral theory **190**

Zeh, D. W., Zeh, J. A., Coffroth, M. A. & Bermingham, E. Population-specific DNA fingerprints in a neotropical pseudoscorpion (*Cordylochernes scorpioides*), **201**
Zeh, J. A. *see* Zeh, D. W.